G. R. S. 68]

Previous references.

1903-1904
191
(Municipal)

B
File No. 103 of 1903
Serial Nos. 1—13

Later references.

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 1—13

Abstract-Part-B for September 1904

SUBJECT.

Construction of a Kodi to the Sampigehalli Tank Bangalore City

Sl. 1—Aug: Petition dtd: 1682 dt, 28.11.03 from The Pravakthegy. to H. H. the Maharaja of Mysore

Forwards telegram from Nanjegowda and others, Bangalore, complaining against the Cutting away of the bund and emptying the Sampigehalli Tank of a portion of its water.

Sl. 2— 2.31o— dt, 5/12.03 To the President, Bangalore City Municipality.
P. D. 51-02.

Forwards copy of the above telegram for [illegible]

e of the Dewan of Mysore.

No. (if any)

rections.

No., date and purport of re- s to be entered in red, and note in black ink in order tes.—To be written only on ide, and inside the line of in.

Office Note.

Branch Local Boards

Subject Letter no 40 dated the 21st December '03 from the President of the Municipal Commission, Bangalore City explaining the circumstances under which the water of the Sampangi tank was let out by cutting the bund at a certain place

---

Order. dated the 26th November last, Ramjee, Gowda and others residing below the Sampangi tank at Bangalore were to the Private Secretary to H.H. the Raja as follows:-

"They submit humble prayer of the Highness subjects residing below Sampangi tank which has no water 20 years but filled this year, observed to cut the bund and emptying tank from

will be ruined, humbly prays order stop this and save subjects from ruin, petition will shortly be placed at feet of Maharaja."

2. The above telegram having been transferred to this Secretariat for disposal the President's report in the matter was called for.

3. The President has reported as follows:-

no bo 8
Dec 1903

During the recent heavy rains the said tank became so full as to cause apprehension of the bund being breached if necessary precautions to let out the excess water were not taken in time. Complaints were also received from the residents and owners of large bungalows in the neighbourhood

of their compounds having been caused by the overflow of the tank. The property and probably life were thus endangered, it became necessary to open out the old channel and let out 2 feet of water. By doing so, not only there was no harm done to the petitioners' but their lives and property were saved from probable destruction. It is not clear in what way they are aggrieved by letting out the excess water of the tank which, but for the timely precaution now taken, would probably have burst the bund and left the tank quite dry.

"The same method of letting out excess water was being resorted to on previous occasions whenever the tank became overfull owing to exceptionally heavy rains. Further escape of water from the tank has been prevented

by throwing a bunch across the tunnel, and this was seen by the Dewan who inspected the tank. The petitioners were subsequently collected and the fact explained to them. As no 'Kodi' at present exists to the tank, steps will be taken to build one after consulting the Chief Engineer on the subject.

4 Draft recording the President's letter is submitted for approval & other orders.

6/1/04 8/1/04 8/1/4

To the Dewan,
through the 2nd. Councillor.

5 All this is new to me - I am not therefore prepared to say whether the Engr-proposal is all right - or not. Kindly obtain the Dewan's orders and do the needful - why has this been sent to me? Is this procedure quite fair & just? Q. 11-1-04

1566 12.1.04

No 225 B
March '04
D

6 The President has recently reported that he has made a reference to the Chief Engineer on the subject of constructing a "kodi" to the Sanjangi tank and that definite proposals will be submitted to Government on receipt of that Officer's opinion. But his proposals have not yet been received.

Reg No 2446
6th April '04.
[2416

7 Sanji Gowda and other cultivators of lands on both sides of the said tank have submitted a petition wherein they state that the main source from which the tank is fed has been diverted in different directions as specified in the sketch and pray that for such arrangement as will allow the tank to receive its full supply from the channel.

8. Submitted for orders

as to whether a report may be called for from the Chief Engineer on the Petitioner's allegations & his orig & 5 Ltrs attention invited to the reference made by the President

BB
6/5/02, Yes. Please do so
7/5/04

A 3-4
6:7/5
affled Mal orig.
7/5

Rise docketed as above No. 4281/51-02
Dated the 10th May 1904.

The Chief Engineer states, in reply, that the Catchment area of the Cambigehalli-tank was partly (about 70 acres only) diverted into Miller's Tank before the rendition and that the supply thus cut off would only amount to some 4 or 5 units in good years of rainfall at the outside. For the History of the whole subject, he refers the

No. 3331/S
June 1902
S

Govt to G.P. No. 1978-9/5 S 6th June 1883

PET

Submitted Note drafted BB 30/4/04

Submitted for orders.

[illegible] 29/6/04

The Chief Engineer having been asked to state whether he had replied to the President's reference to him regarding the Construction of a Kodi to the Samfangi Tank, has forwarded a Copy of his reply to the President.

Ref No 29 dated 5-07
5th July 1904

Cs No 4082 dated
12th July 1904

The President's further Communication to Government will if approved be awaited & thus reference filed for the present

Yes, but send a timely reminders.

14/7/04
15/7

C.S.O.
14/7

16/7/04

The President's report in regard to the Construction of the Kodi has now been received Please see his letter No 59 dated the 2nd August 1904

Submitted for orders. He is not in favor of constructing the Kodi while the Lexon station

are prepared to execute the work. The President of the City Mity considers that the work would involve payment of a large sum as compensation on account of lands below the tank, which will become dry.

9.7.5/8/04

J. Duncan
6/8/04

Lay before the 1st Councillor
8.8.1.8.4

From my opinion, I have
the tabled not attached.
10/8/04

Submitted to the Dewan Sahib
for orders
10/8/1904

906
11.8.04

Serial No.

This is a small shallow tank which seldom fills. There are some valuable gardens under it. It would be the ruination of those gardens if the capacity of the tank is reduced by 4 feet as proposed by the President of the Civil//~~Cantt~~and Military Station Municipality. Nor does such a measure seem absolutely necessary for the safety of the bangalow-properties which have ~~within the past~~ in recent years sprung up in the abandoned bed ~~of~~ the tank. Even the Chief Engineer's suggestion that a Kodi be built at R. L. 43 would be prejudicial to the gardens above referred to though in a lesser degree, and should therefore be avoided if possible. The acquisition of the lands and wells under the tank seems to be out of the question, costing as ~~they~~ are likely to do an enormous sum of money. The tank can easily be breached and water let out of it to the extent necessary whenever the properties in its neighbourhood are threatened. If however the construction of a Kodi is deemed indispensible, Mr. Nagavkar's suggestion may

G.R.S. 12]

General and Revenue Secretariat.

File No. of 190

Serial No.

Of the coal-lump lease by the Creek. Clerk.

be adopted with advantage. While effectuating the

object in view, it will cause the minimum of inc.

and loss of Q.

convenience to the owners of the gardens concerned.

Chief Secretary's Office

10/8/04.

I saw this in connection with the Chief Engineer's note and with things that would be at present necessary - what Mr. Sparks said about the ground being in danger when the water was lowered on the last occasion is not accurate - I saw him also - what was done had for its object the removing of the property which had been gradually undermined in the bed & Mr. Sloan's side of the road - Houses should have been permitted to come into existence there at all - The City Fathers should then and there have objected & it is not reasonable that houses should be withdrawn laying bed of a canal & then ordered to lower the water in the canal to prevent our large interests depending upon this water supply and I think it should be interfered with. On the other hand that the feeder existing from the point D in the map to the Pond should be examined - and such work as was suggested by the Chief Engineer to ensure that supply to this canal in times of Epidemic 1883 carried out being it is found that it is with benefit to

Note—Contn. sheet.

MGCPB—10,000—19-5-04

Petition No 1290 28.11.03

Petitioner Municipality Bangalore

Received 28/11/03

Receipt 30/11/03

Disposal

Enclosure Nil

Dear Sir

I am instructed by the Municipality Bangalore to request your jurisdiction over the Sankey tank in Section. If so same may be transferred to this Dept.

[illegible]
3/12/03.

Dear Sir,

This is written to request you to kindly transfer the Sankey tank in Section. If so same may be transferred to this Dept.

[illegible]
3/12/03

Addressed to the Revenue Commissioner & Ex-officio Secretary to Government

ABSTRACT

Telegram from Municipal Council Bangalore dated 28.11.03 stating that Overseer is unable to stop the bund of the Sankey tank which is filled this year and requesting orders to stop the outlet. allowed,

Transferred to the Local Boards Branch.

[illegible]
3.12.03

[illegible]
3/12

[illegible]
2/12/03

[illegible]
3/12

Office Memorandum forwarding copy of Telegram to the Chief Engineer, Bangalore City, for report and return in duplicate

[illegible]
3.12.03

[illegible]
3/12

MGOPB—5,000—10-11-02

Municipal Y. No. 103. of 1903

No 1682
Encl.

OFFICE OF THE PRIVATE SECRETARY TO
HIS HIGHNESS THE MAHARAJA OF MYSORE.
Mysore, 28th November 1903

Telegram

~~Petition~~ — as shown below, to His Highness the Maharaja, is transferred to the Secretary to the Govt. of Mysore Revenue department, Bangalore for disposal

No.
913 Dated 27.11.03.

By Order,

Raghavendra Rao
for Private Secretary
to H. H. The Maharaja of Mysore.

Gl
30 11 03.

Municipal T. no: 10396/05

3

913

INDIAN TELEGRAPHS

Monthly

Mysore Government

Code Class. 3

From (Office)

General and Revenue Secretariat

Petition Department

Reg'd No. 12.90R.

Dated 30-11-03.

Words.	Days.	Hours.	Minutes.	Official Instructions.
	0		01	

To (Person).

Read from Aravakurichi Tehsildar No. 1682 dated 20-11-03 & dated 30-11-03

From (Person)

90

Telegraph Master.

Recd. from ... H.M. Sent to MYSORE 16 Dec 05 H.M.

Hrs. Min. Sec. Hrs. Min. Sec.

96 Word Form.

J. S.—No. 1715—6,000—[illegible]

14/12/03

Municipal T. no: 1039/1903

S. (2)

Office Memo

The Accountant giving copy of Telegram (dated 26.11.03 Rep No 1290 & 1769) from Ramjegowda, Bangalore, addressed to the Private Secretary to H.H. the Maharaja of Mysore, and received in the Park Office, Comp. Carriage acquainting the outbreak of the Locust and enclosing the Sanctuary Guard's report of its work by observing a party of the Board, is forwarded to the Presidt, Munl. Comm, Bangalore City, for ~~Proposal and~~ report

By Order

14/12/03
For Secretary

14/12/03

2310
L.T. 5-1-02 16/12/03

Chainman

Office of the Municipal Commission,

City Bangalore 21 December 1903

No. 160

Municipal No: 1039/1903-5.

From

THE PRESIDENT,

Municipal Commission,

BANGALORE CITY.

To

THE SECRETARY TO THE GOVERNMENT OF MYSORE,

General and Revenue Departments,

BANGALORE.

Sir,

With reference to your Official Memorandum No. 2310 L.T. 51-02 dated the 16th instant, forwarding for report a copy of a telegram from the persons residing below the Sampangi tank complaining against the water of the tank being let out, I have the honor to state that during the recent heavy rains the said tank became so full as to cause apprehension of the bund being breached if necessary precautions to let out the excess water were not taken in time. Complaints were also received from the

residents and owners of large bungalows in the neighbourhood of their compounds having been inundated by the overflow of the tank. As property and probably life were thus endangered it became necessary to open out the old channel and let out two feet of water. By doing so not only there was no harm done to the petitioners but their lives and property were saved from probable destruction. It is not clear in what way they are aggrieved by letting out the excess water of the tank which, but for the timely precaution now taken, would probably have burst the bund and left the tank quite dry.

The same method of letting out excess water was being resorted to on previous occasions whenever the tank became

overfull owing to exceptionally heavy rains. Further escape of water from the tank has been prevented by throwing a bund across the tunnel and this was seen by the Dewan who inspected the tank. The petitioners were subsequently collected and the fact explained to them. As no Kodi at present exists to the tank steps will be taken to build one after consulting the Chief Engineer on the subject.

I have the honor to be

Sir

Your most obedient Servant,

[signature]

President

WZ.

Municipality No: 103703. (4)

Read-

Telegram from Shamji Gowda and others residing below the Lalbagh tank at Bangalore to the address of the Private Secretary to H.H. the Maharaja Complaining against the cutting of the tank bund and emptying the tank of a portion of its water.

(2) Letter No. 160 dated the 21st December 03 from the President of the Municipal Commission, Bangalore City, reporting that two feet of water was let out of the tank by the old channel as a precautionary measure against probable destruction of lives and property during the recent heavy rains, that further

escape of water has been prevented by throwing a bund across the tunnel, and both as no Kodi ab presently exists for the time steps will be taken to build one after consulting the Chief Engineer on the subject

---

Order thereon dt 27/23 5/27/1/04
L.F. 51-02

Recorded with the observation that early submission of proposals for the construction of the Kodi referred to will be awaited..

06526
21.1.04

To, The Secretary, Bangalore City

Municipal Y. No: 103 of 1903 S.

OFFICE OF THE MUNICIPAL COMMISSION,

No. 225. City Bangalore, 20th March / 2nd April 1904

From

THE PRESIDENT,
Municipal Commission,
Bangalore City.

To

The Secretary to the
Government of Mysore,
General and Revenue Depth,
Bangalore

Sir,

With reference to Government Proceedings No. 2723 / 1751-02 dated the 27 January 1904 and the subsequent reminder regarding the construction of a Kodi to the Sampige tank, I have the honour to state that the opinion of the Chief Engineer to whom reference has been made on the subject, has not as yet been received and definite proposals will be submitted on receipt of that Officer's opinion for which a reminder has been sent to-day.

I have the honour to be
Sir.
Your most obedient servant

Devanahalli
The President.

Municipal 24-no:1es203 S. C.

190

From

The Secy. to the Govt. of His Highness
the Maharaja of Mysore,
Genl. & Rev. Depts.

To

The President
Municipal Commissioner
Bangalore City

Dated
Despatched 25/4/04
Received
General No. 5709
L. F. No. 81-02

Enclosure No.

This No 225-7 30/3/04
stating that the opinion of
the Chief Engineer on the
subject of constructing a
Road to the Sampigi Tank,
has been called for and
as the receipt of this opinion
definite proposals will be
submitted for orders of Govt.

To be very early in the session
of the report promised

in the above as wanted

By order

Buff
1904

21/4/04
For Secretary

2446

2 Inspector Transfer

Transferred to the Forest Branch

1
-Lmas
3/5/04
S. ch
Orig 3/5/04
Dup Comd 5/5

Municipal No. 10 5th Circle L2416

190 4p

No. 2446

Name of Petitioner: Mangaramma and others, cultivators of lands in the bed of Sampigehalli Tank

Village: Nilgalan Pett

Taluk: Bangalore

District:

Date of Arzi: 28/4/04

Date of Receipt: 29/4/04

Date of Disposal:

No. of Enclosure:

To the Chief Engineer 29/4/04

ABSTRACT

Requesting to notice that owing to the main source from which the Sampigehalli Tank was fed having been diverted in accordance with the directions as per plan in the enclosed plan, the Tank referred to is deprived of its feed praying that the places be inspected in person and such arrangements to be ordered to be made as will allow the Tank to receive its full supply from the channel.

Orig
30/4/04.

MGOPB—5,000—10-11-03

Municipal Y-no: 103803

To,

Appa Rao Mutchin Esq M.I.C.E.
Secretary P.W.D.
& Chief Engineer of
Mysore

Sir,

6281
L7-51—02 - 9/10/04

Rec'd Rs
& 1 Plan

In forwarding herewith (in original) a petition Regd no. 2446/L2416 dated the 28th April 1902 and a plan received from Manje Gowda and other cultivators of lands situated on both sides of the Sampigehalli Tank in the Bangalore City, stating that the main source from which the tank is fed has been diverted in different directions as shown in the plan, thereby depriving the tank of its full supply of water

bales, and enquire that
arrangements may be made
so as to allow the tank
to receive its full supply
from the Channels, I am directed
~~have the honour~~ to
request that you will
be so good as to
favour Government with your opinion in this matter
a report on the ~~facts~~ with reference to
of the case petitioner's
allegations.

2. I ~~have the honour~~ am
~~further~~ to invite your
attention to letter no. 225
dated the 30th March 1904
from the President of the
Municipal Commission, Banga-
lore City (a copy of which
is herewith sent for reference)
in regard to the construction
of a "Kodi" to the said tank

I have &c,
(by order) 83 7/5/04
for Offg Secy
Mysore 7/5/04

16

1760

From Municipal Y. No: 1032 03 190

The Chief Engineer of Mysore

To

The Secretary to Government

General and [illegible] Departments

Dated Bangalore 29th Sept 1904

Despatched

Received

General No. 3331

No.

Enclosure No. 2.

Stating that the catchment area of the Sampigehalli tank was partly diverted into Miller's tank before the sanction of the province, and it does not seem necessary, or desirable, to raise the question as its being res-tored now.

To the Finance Dept 29/11/04

Mysore P. W. Department.
Central Office

No 3331 Dy 8th June 1892.

From,

W. M. Hutchins Esq. M.R.C.E.,
Chief Engineer of Mysore.

To,

L. Anandacharlu Rao Esq. B.A.
H. H. the Maharaja of
Asst to the Port of Mysore,
Jeneral & Revenue Depts.

Sir,

In returning the Enclosures received with your no 4281 dated 10th ultimo, requesting my opinion regarding the prayer of the petitioners that arrangements be made to allow the Lampigehalli Tank to receive its full supply of water from its old Channel, I have the honour to inform you that the catchment area of the Lampige-halli Tank was partly (about 70 acres only) diverted into Miller's Tank before the rendition of the Province, and it does not seem necessary or desirable, to raise the question as to its being now restored. The supply thus cut off

would only amount to some 4 or 5 units in good years of rainfall at the outside. The history of the whole subject is given in Government Proceedings No. 1078-9/5 dated 6th June 1883.

I have the honour
Sir,
Your most obedt. Servt
W. J. Wolfenden
Chief Engineer Mysore
AH

From

~~K. V. NANJUNDAYYA, Esq., M.A., M.L.,~~
Secy. to the Govt. of His Highness
the Maharaja of Mysore
Gen. & Rev. Depts.

To

The Chief Engineer
of Mysore.

Dated

Despatched 5 - 7 - 04

Received

General No. 29
Dy No. 51-02

Enclosure No.

Sir.

Referring to your letter No 3331 dated 8th June 1904 reporting on the petition of Nanja Gowda & others praying that arrangements may be made to allow the Sampige-halli Tank to receive its full supply of water from the old channel, I am directed to invite your attention to para 2 of my letter No 4281 L.J. 51-02 of the 10th May 1904 and

to request the favour of
being informed whether
the reference made by
the President of the City Municipal
Board, Bangalore, in his
letter regarding the construction
of a Kodi to the said tank
has been replied to & if not
when the reply may be
expected by the President.

I have &c

No 30 / 14-51-02 dt 5-7-04

1.7.1904

30/6/04

Secy.

Copy to the President of the Bangalore
City Municipal Board inviting
a request that he will submit
definite proposals regarding
the construction of the Kodi
on receipt of a reply from the
Chief Engineer, as promised in
his letter No 225 dt 30th March 1904.

From Chief Engr
to the Mg. Dir

By order

1.7.1904

30/6. Secy.

IA-S.ch
Dy 1317

Municipal 37 No: 103803

189

MYSORE P. W. DEPARTMENT.

From

The Chief Engineer of Mysore,
Bangalore.

To

The Secy. to the Govt. of Mysore.
Public Works Department

No. 4082

Dated Bangalore 12-7-04.

Despatched

Enclosure No 1

SUBJECT.

Forwarding copy of letter No. 223 14-4-04 addressed to the President of the Bangalore City Municipal Board, requesting the Construction of a Kodi to the Sampigehalli Tank

To

Diary No 275.

MYSORE P. W. DEPARTMENT
CENTRAL OFFICE,
Bangalore, 12 — 7 —— 1902.

No. 4082

From N. Subbutatini Esquire M.C.E.
The Chief Engineer of Mysore,

To B.K. Venkatanarayanaji Esq.
The Secretary to the Govt. of Mysore,
Ecclesiastical Department.

Sir,

Adverting to your letter No. 29/48-5-1 of the 5th instant enquiring whether the reference made to this office by the President of the Bangalore City Municipal Board regarding the Construction of a Kodi to the Sampigehalli Tank has been replied to I have the honor to forward the enclosed Copy of this office letter No. 323/Cauvery of the 14th April last to the address of the above Board on the Subject for information.

I have the honorable,
Sir,
Your most obedient servant,

N. Subbutatini
Chief Engineer of Mysore.

1/31

Ex. WSC 11

Letter no. 323 dated 14th April 1904 from the Chief Engineer of Mysore to the President, Municipal Commission Bangalore City

---

With reference to your no. 1952 dated 12/15-2-04 and subsequent reminder no. 2349 dated 30th Ultimo, I have the honor to forward herewith a tracing showing Contours of the Sampangi Tank &c, and to inform you that in my opinion it would be desirable to construct a kodi 10 feet or so wide, at the South East Corner, somewhere near where the recent cut was made, and a slabbed culvert of 3 Vents might be built over it for the road. The floor of this tunnel Would be fixed at about 2 feet below the basement of the Brewery main building or R.L. 43.00

II. The question as to whether any compensation will have to be paid to the owners of the gardens below this tank if we reduce the level of full supply from 45.50 to 43.00 is a point which will have, it is presumed, to be

first decided upon? Such floods as we have experienced this last season are very rare; and it would not be worthwhile to construct a Kadi at all if compensation of any large amount has to be paid as it would always be practicable to let water out by temporary cuts as was done last year at times of abnormal floods.

True Copy

Bourda
12-7-02

for Chief Engineer
of Demerara.

Diary No 819

S. 12

OFFICE OF THE MUNICIPAL COMMISSION,

City Bangalore, 2nd August 1904

No 59
Encls: 5

FROM

Municipal V. 1037/03

8C-12

THE PRESIDENT,
Municipal Commission,
Bangalore City.

To

The Secretary to the Government of
His Highness The Maharaja of Mysore,
General and Revenue Departments,
BANGALORE.

SIR,

With reference to your docket No. 4089/51-02 dated 25th April 1904 calling for a report on the subject of constructing a kodi to the Sampige tank, I have the honor to submit herewith a copy of the Chief Engineer's letter No. 373 dated 14th Idem giving his opinion on the subject.

2. I beg also to submit for the information of Govern-ment copies of letters Nos. 4930 dated 12th February 1904 and 796 dated 19th May 1904 received from the President, Municipal Commission, Civil and Military Station, Bangalore, on the same subject, proposing to cut down the level of the kodi by 4 Feet.

This proposal amounts to reducing the capacity of the tank from 43 to 16 Units. Such a step will no doubt be stoutly opposed by the owners of land below the tank since it will keep dry for the most part of the year, seriously affecting the supply of water in the large number of wells below. It is evident therefore that this cannot be done without acquiring the whole atchakat of 35 acres and 21 gunthas of land by paying a very heavy compensation.

246½ acres under the Tank All

3. The tank is said to fill very rarely—once in ten or twelve years. Its sluices are permanently blocked up and it has no kodi and one is not absolutely required to be construc-

Sluices were to be used to some extent All

constructed. The proposal to construct a kodi and to permanently lower its level is advocated not for the safety of the tank as the highest floods keep 3 Feet below the top of bund but for saving the Brewery and other buildings lately sprung up in the bed of the tank from being flooded over.

4. I agree with the Chief Engineer in his opinion expressed in the last para of his letter that the abnormal floods are rare and it is not worthwhile to construct a kodi as, on an emergency, it is practicable to let out water by a temporary cut.

5. The vested rights of holders of land below the tank are of paramount importance and cannot be lightly set aside to guard the interests of the Proprietors who have knowingly risked their money in erecting buildings in the bed of the tank unless they are prepared to buy up the properties of the landholders , whose lands will be rendered useless, by any reduction in the capacity of the tank.

6. If it is nevertheless considered necessary , in the interests of the properties that get submerged to construct a kodi and lower its level by 4 or 2½ Feet, then it would be advisable in my opinion to provide the culvert on the road with ghutters so that the level of water in the tank may be regulated according to requirements. It is a shallow tank and gradually silting up. Any proposal to reduce its capacity will be looked upon by those interested in it with grave apprehension.

7. Plan and Estimate received from the President of the Station Municipality as well as the contour plan received from the Chief Engineer are herewith submitted for reference and kind return.

I have the honor to be
Sir,
Your most obedient servant,

A. A. Nagarkar
President.

GOVERNMENT OF MYSORE Rev Dept. 12 27

Letter No. 323 dated 14th April 1904 from W. McHutchin Esquire, M.I.C.E., Chief Engineer of Mysore to the President, Municipal Commission, Bangalore City.

Sir,

With reference to your No. 1952 dated 12/15-2-04 and subsequent reminder No. 2349 dated 30th ultimo, I have the honor to forward herewith a tracing showing contours of the Sampige tank &c., and to inform you that in my opinion it would be desirable to construct a kodi 10 feet or so wide, at the south-east corner somewhere near where the recent cut was made, and a slabbed culvert of 3 vents might be built over it for the road. The floor of this tunnel should be fixed at about 2 feet below the basement of the Brewery main building (or R.L.43.00).

2. The question as to whether any compensation will have to be paid to the owners of the gardens below this tank if we reduce the level of full supply from 45.50 to 43.00 is a point which will have, it is presumed, to be first decided upon?. Such floods as we have experienced this last season are very rare; and it would not be worthwhile to construct a kodi at all if compensation of any large amount has to be paid: as it would always be practicable to let water out by temporary cuts as was done last year at times of abnormal floods.

I have &c.,
SD/. W.McHutchin,
Chief Engineer
of Mysore.

Letter No. 4930 dated 12th February 1904 from the President Municipal Commission, Civil and Military Station, Bangalore, to the President of the Bangalore City Municipality.

Sir,

I have the honor to state that an estimate has been sanc-

tioned

sanctioned by this Municipality for reconstructing the Kodi Channel culvert of the Sampige Tank, crossing the Richmond Road and for carrying it through the garden adjoining thereto, to drain away the overflow of the tank to the east of the Sampige Road, which now submerges a large area of our land, and to request that you will be so good as to inform me if you have any objection to the construction of the culvert on the understanding that the work is carried out by this Municipality.

I have &c.,

SD/. E.S.Lloyd, President.

Letter No. 796 dated 19th May 1904 from the President, of the C & M Station Municipality to the President of the City Municipality.

Sir,

In continuation of my letter No. 600 dated the 6th Instant, forwarding plans and estimate for reconstructing the Kodi Channel Culvert to the Sampige tank, I have the honor to enquire if you have any objection to our starting the work at once as it must be finished before the rains.

I have &c.,

SD/. P.L.Moore,

President.

'COPIES'

President.

7

G.R.S. 28]

File No. 57-02

Municipal 7. no: 1037-1 Serial No. 25

8C-13

Diary No. of letter replied to 819

Proceedings of the Government of His Highness the Maharaja of Mysore.

GENERAL AND REVENUE SECRETARIAT.
(Mul :)

READ.—

Dated, the 24th Sept 1904

Correspondence ending with letter no 59 dated the 20 August 1904 from the President of the Municipal Commission, Bangalore City, submitting a copy of

Date of issue

Signed by

ORDER PASSED—No.

the Chief Engineer's letter no 323 dated the 11th April 1904 enclosing in it the Chief Engineer's opinion on the matter of constructing a road to the Lamphje tank, and stating that for reasons given a

over

SUBJECT

State that it was irregular to have allowed buildings to come into existence in the Lamphji tank bed on the C & M Station side and calls for additional information with a view to secure reasonable supply of water to the tank

MGGPB—5,000—31-8-04

The Resident

2) The enclosures as also the petition and the map received with the President's letter are returned for reference and re-submission

26-8-1904

Secy

Secretary

24/9/04

To,

The Resident, Mysore Commn.,
Bangalore City

Chief Engineer

Typed 29/9
Compd 29/9
Signed by Mr. A. Ramaiah

Fl.9-No 3331 dt 8.6.04 from the Chief Engineer

States that it does not seem necessary to raise this question as it is being now restored.

10- No: 29 / L.S.51-02 dt 5.7.04 to the Chief Engineer

Invites his attention to para 2 of Govt. order No: 4381 L.S.51-02 of 10.5.04 (Penal No: 8)

Fl-4- No: 30 / L.S.51-02 dt 5.7.04 to the President, Bangalore city municipality,

Forwards Copy of the above with a request to expedite the Submission of defaulte proposals re- The construction of the Kodi

Fl.11 - No: 4082 dt 12.7.04 from the Chief Engineer

Forwards copy of letter addressed to the President of the Bangalore city municipality re- The construction of the Kodi in question.

Fl-12- No: 59 dt 2/4.8.04 from the President, Bangalore city municipality

Submits a copy of the Chief Engineer's letter viz. The matter and states that for the reasons given a Kodi is not necessary

Fl-13- No: 2766-7 / L.S.51-02 dt 30.9.04 to the President, Bangalore City Municipality, and to the Chief Engineer.

States that it was irregular to have allowed buildings to come into existence in the Sampige bed on the C.&M. Station side and calls for additional information with a view to secure reasonable supply of water to

Contemplated

Indexed

[illegible]